

LANDSCAPE AGGRESSOR[®] AUGER



AUGERS | 42" Overall Length

2" SQUARE

ITEM	DIA	NO. TEETH	LBS	PN
6-MA-42	6"	2	35	137876
9-MA-42	9"	4	42	137878
12-MA-42	12"	4	46	137880
15-MA-42	15"	5	50	137882
18-MA-42	18"	6	67	137884
24-MA-42	24"	8	85	137886
30-MA-42	30"	10	104	137888

2" ROUND

ITEM	DIA	NO. TEETH	LBS	PN
6-MA-42	6"	2	35	138000
9-MA-42	9"	4	42	138001
12-MA-42	12"	4	46	138002
15-MA-42	15"	5	50	138003
18-MA-42	18"	6	67	138004
24-MA-42	24"	8	85	138005
30-MA-42	30"	10	104	138008

The Landscape Aggressor[®] Auger item numbers are for standard augers only. These augers will be shipped with standard teeth and pilot. You may order additional upgraded wear parts to enhance the drilling capabilities of your auger.

2 9/16" ROUND

ITEM	DIA	NO. TEETH	LBS	PN
6-MA-42	6"	2	35	138100
9-MA-42	9"	4	42	138101
12-MA-42	12"	4	46	138102
15-MA-42	15"	5	50	138103
18-MA-42	18"	6	67	138104
24-MA-42	24"	8	85	138105
30-MA-42	30"	10	104	138106
36-MA-42	36"	12	125	138109

2" HEX

ITEM	DIA	NO. TEETH	LBS	PN
6-MA-42	6"	2	35	137894
9-MA-42	9"	4	42	137895
12-MA-42	12"	4	46	137890
15-MA-42	15"	5	50	137896
18-MA-42	18"	6	67	137891
24-MA-42	24"	8	85	137892
30-MA-42	30"	10	104	137893
36-MA-42	36"	12	220	137870

2 9/16" ROUND CARBIDE

ITEM	DIA	NO. TEETH	LBS	PN
6-MA-42	6"	2	35	138080
9-MA-42	9"	4	42	138082
12-MA-42	12"	4	46	138084
15-MA-42	15"	5	50	138086
18-MA-42	18"	6	67	138088
24-MA-42	24"	8	85	138090
30-MA-42	30"	10	104	138092
36-MA-42	36"	12	220	138094

2" ROUND CARBIDE

ITEM	DIA	NO. TEETH	LBS	PN
6-MA-42	6"	2	35	138000
9-MA-42	9"	4	42	138001
12-MA-42	12"	4	46	138002
15-MA-42	15"	5	50	138003
18-MA-42	18"	6	67	138004
24-MA-42	24"	8	85	138005
30-MA-42	30"	10	104	138008

30" OAL Landscape Aggressors available, call for details.

AUGERS | 48" Overall Length

2 9/16" ROUND CARBIDE

ITEM	DIA	NO. TEETH	LBS	PN
6-MA-48	6"	2	35	138120
9-MA-48	9"	4	42	138121
12-MA-48	12"	4	46	138122
15-MA-48	15"	5	50	138123
18-MA-48	18"	6	67	138124
24-MA-48	24"	8	85	138125
30-MA-48	30"	10	104	138126

2" ROUND

ITEM	DIA	NO. TEETH	LBS	PN
6-MA-48	6"	2	35	102390
9-MA-48	9"	4	42	102391
12-MA-48	12"	4	46	102392
15-MA-48	15"	5	50	138015
30-MA-48	30"	10	104	138016

Special Orders Available upon request. Special orders cannot be canceled once ordered. Contact Pengo sales for special order requests.

AGGRESSOR[®]


LANDSCAPE AGGRESSOR[®] AUGER



For Use With Mini Skid Steer, Skid Steer, and Mini Excavator

42" OAL

AGGRESSOR[®]



CONNECTIONS

ROUND 2" 2 9/16"

HEX 2"

AUGER DIAMETERS

9" 24"

12" 30"

CUT DIAMETER

Cut diameter is 1 1/2" larger than auger diameter.

DRILLING SOIL CONDITIONS:



Pengo's Landscape Aggressor[®] Tree Auger is specifically designed for horticultural plantings. The two stage design produces a tailored fit for the root ball while providing additional clearance for proper backfilling as well as producing a non-glazed wall surface within the hole to maximize plant acclimation.

2" ROUND

ITEM	DIA	NO. TEETH	LBS	PN
9/24-MA-42	9/24"	8	71	138006
12/30-MA-42	12/30"	11	75	138007

2" HEX

ITEM	DIA	NO. TEETH	LBS	PN
9/24-MA-42	9/24"	8	71	137871
12/30-MA-42	12/30"	11	75	137872

2 9/16" ROUND

ITEM	DIA	NO. TEETH	LBS	PN
9/24-MA-42	9/24"	8	71	138107
12/30-MA-42	12/30"	11	75	138108

2 9/16" ROUND CARBIDE

ITEM	DIA	NO. TEETH	LBS	PN
9/24-MA-42	9/24"	8	71	138096
12/30-MA-42	12/30"	11	75	138098

LANDSCAPE AGGRESSOR[®] AUGER



PARTS | TriFlow[®] Pilot Bits

TF-350
LBS 5
PN 135088

TF-350HF Pilot
LBS 5.5
PN 135089

TF-350C Pilot
LBS 5.5
PN 135090

TF-350CXC Pilot
LBS 5.8
PN 135091

TF-350HFTC Pilot
LBS 5.5
PN 135092

TRIFLOW

For convenient storage of your Pengo 2" Aggressor[®] augers, we have designed a simple metal base with a 2" Hex connection, that your auger can slip easily onto. Thus giving you a safe and out-of-the-way storage option.



STORAGE

Auger Stand for Pengo Aggressor[®] Augers

Standard Auger Stand **PN 135102**
14 LBS.


PARTS | Teeth

40/50 Tooth
LBS .5
PN 134501

40/50HFF Tooth
LBS .5
PN 134802


40/50C Tooth
LBS .65
PN 134519

AGGRESSOR[®] auger teeth are for use in dirt, abrasive soil or fracturable rock, depending on the type of tooth you are using. All types of the 40/50 tooth can be used at either a 40° or 50° angle providing different attack angles based on your drilling condition.



THE NUTS & BOLTS:

for 40/50 Teeth
Carriage Bolt **PN 134677**
Hex Nut Lock **PN 134527**



for TriFlow 350 Pilot Bits
3.5" Hex Bolt (6"-9" dia.) **PN 174447**
4" Hex Bolt (12" plus dia.) **PN 174448**
Hex Nut Lock **PN 134527**



AGGRESSOR